

# New Energy Electric Passenger Vans DFSK DongFeng EC36 Y2023 7~9seats

## **Basic Information**

• Place of Origin: Xiamen, China

Brand Name: DFSK
Certification: EC Mark
Model Number: EC36
Minimum Order Quantity: 1unit

• Price: USD15000~25000/unit

Packaging Details: NakedDelivery Time: 25days

Payment Terms:
 L/C, T/T, Western Union

Supply Ability: 1000units/month



# **Product Specification**

Model Type: EV Mini BusModel Number: EC36

Overall Dimension: 4500\*1680\*2000mm

Curb Weight: 1575kg
Wheel-Base: 3050mm
Rated Passenger Number: 7-9seats
Maximum Power: 60KW
Rated Output Torque: 200N·m

Power Battery: Lithium Iron Phosphate Battery

Battery Power: 38.7kwh
Max Speed: 100km/h
Driving Range: 300KM(NDEC)
Slow Charge: 6-8hours
Fast Charge: 0.8hr

Highlight: EC36 electric passenger vans,



# More Images



## **Product Description**

#### 7~9seats New Energy Electric Vans EV Mini Bus DFSK EC36 DongFeng Y2023

#### **Products Features:**

- PBLS Power Endurance Solution
- Efficient and powerful motor, energy-savingand environmentally friendly lithium-ionbattery, intelligent battery heating system,
- 2-hour super fast charging technology.
- Wheel Base:3050mm Flexible and variable load space
- The body length is 4500mm,the wheelbaseis up to 3050mm,the longest in its class,1.3-5.1 square meters of multi-carrier space.





#### **Eight Leading Features**

Radar, Rear View Camera, Power rear-view mirror, central control screen, EPS, remote control key, ABS, Power Window.

#### No restrict, Drive Freely

Pure electric vehicles, free from license restrictions and traffic restrictions, shuttling freely among the cities.



## 5 years Or 120,000 KMS Super Warranty

5 Years or 120,000 kms warranty for Power-Train





7 Seats

#### **Products HD Picture**







# DONGFENG EV mini bus 1.0T Loading Capacity Specification

MODEL		EC36
Dimension	Overall dimension(L*W*H)	4500*1680*2000mm
	Wheel base(mm)	3050mm
	Cargo Box Dimension(mm)	~~~
		7~9passengers
	Curb weight(kg)	1575kg

	Rated Loading weight(kg)	7 peiople
	Max vehicle speed (km/h)	100km/h
Chassis	Front Suspension type	McPherson independent suspension/
	Rear Suspension type	Leaf Spring
	Driving Form	Rear drive
	Steering	Power Assistance Steering
Motor	Motor type	Permanent magnetic synchronizer
	Max Power(kw)	60kw
	Max torque(Nm)	200N.m
battery	Battery type	Lithium iron phosphate type
	Rated Capacity(KWH)	38.7kwh
	Driving Mileage (NDEC)	300KM
Charging	Slow/Fast Charing	Υ
Tyre and Brake	Brake	Front disc, rear drum
	ABS+EBD	Y
	Reverse Radar	Optional
	Tyre type	185R14 LT
Other	Seats	2seats, Fabric material
Confirguration	Flooring	PVC floor covering for Dring room
		Aluminum plate floor covering for cargo
		box
	Air Condition	Manual Type Front A/C
	Widows	Electric type for Driving room

#### FAQ

Q:How about the delivery time?

- A: Most of our vehicles are made to order ,We can delivery to you within 25 days after order confrimed
- Q:How about shipping?
- A: Big size autos always shipping by RORO or Bulk ship or flat bed container or open top container, small type can shipping by container, depends on the quantity and model you need.
- Q: How many units does your factory produce per years?
- A: Almost 3000 units
- Q: How about your product After-sales service system?
- A: Our main export country have accepted after-sales service, some of country used the third department service.
- Q: Do you accept Custom orders? What's is your MOQ order?
- A: Yes, we do, our MOQ is depends on exact model, mostly is 1unit.
- Q:Which country do you have exported to?
- A: our special trucks can be found in many parts of the world, such as Russia, Ukraine, Uzbekistan, Jordan, Chile, Brazil, Thailand, Malaysia, Lebanon etc, and gain good reputation from local market.
- Q: Can I Customize vehicles?

A:We could also customize the vehicles according to the demand of the end markets, technical and equipment modification as per demand.



HaiNan SynYune EV Technology Co.,Ltd





SYJackie@163.com



**©** battery-generator.com

No. 4 Jipu Road, Xinyingwan District, Yangpu EDZ, Hainan Province