

China

CCC

DONGFENG

HLW5185ZYSD6

1000units/month

USD15000~25000/unit

ship, train or long vehicle

depends on order quantity

naked, with wax; shipped by container, ro-ro

T/T, L/C, Western Union, MoneyGram

8CBM 7470kg Garbage Disposal Truck Dongfeng Waste Compactor Truck

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1units
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

- Overall Size:

8500X2500X3300mm

• Driving Form: 4*2 • G.V.W: 18000kg • Curb Weight: 10400kg • Rated Loading: 7470kg • Wheel Base: 4200mm • F/R Tread: 1876/1820mm Max Speed: 85km/h • Fuel Type: **Diesel Engine** • Engine Type: DDi50E190-60 147kw/190hp Max. Power: Max Torque: 800N.m Displacement: 5900ml • Emission Level: Eur.III • Cab: 2~3seats, One And Half Row



Compact Garbage Truck , 8CBM Garbage Delivery Truck with Dongfeng Brand Chassis

Garbage Product Detailed Specification:

Vehicle	parameters			
Vehicle Model		HLW5185ZYSD6	Vehicle Type	Compacted Gabage truck
Overall dimensions		8500X2500X3300mm	Curb weight	10400kg
Total Veight		18000kg	Rated Capacity	7470kg
F/R overhang		1400/2600mm	Gabage Volume	8-10CBM(As reqeust)
Chassis parameters				
Chassis model		DFH1180EX8	Chassis brand	DONGFENG
Overall dimensions		7090X2370X2750mm	Wheel base	4200mm
Front/rear wheel track		1876/1820mm	Front/Rear Axle	6500/11500kg
Approach/departure angle		27/20°	Maximum speed	89km/h
Cab	Configuration	A row and a half cab,3 passengers allowed, air conditioner.		
	Color	White, or as request		
Engine	Model	DDi50E190-60		
	Emission	Euro V		
	Туре	4 cylinders, in-line,EGR(cool)+DOC+DFP+SCR+ASC, diesel engine		
	Rated power	147kw/190hp, rated power speed 2300rpm		
	Displacement	5000ml		
	Max.torque	800N.m		
Tire	Size	10.00R20 18PR,275/80R22.5 18PR		
	Number	6+1 nos		

Garbage Truck HLW5185ZYSD6 Description:

1. The main special device of this truck is composed of a box and a compression system, which is used for garbage collection and transportation The car can be equipped with square or arc box, full sealing cover device and rear working device; No feeding device fully sealed bucket device and swing arm device:; Bucket turning device and bucket turning device. Only 4500mm, 4700mm wheelbase is used 2. The side protective material is Q235, which is connected by bolts; The rear guard is replaced by a special device, and the lower edge is 360mm.3 above the ground. The cab is optional with the chassis. The driving recorder with satellite positioning function is installed. Etc on-board device can be optional for this model

Products HD pictures:





Packing and Shipping:

FQA:

Q:How about the delivery time?

A: Most of our trucks are made to new order, so the delivery time is usually 20~45days.

Q:How about shipping ?

A: Big size trucks always shipping by RORO or Bulk ship or flat bed container or open top container, small type can shipping by container ,

Pls contact us to get a shipping quotation.

Q: How many trucks does your factory produce per years?

A: Almost 3000 units one month.

Q: How about your product After-sales service system?

A: Our main export country have accepted after-sales service, some of country used the third department service.

Q: Do you accept Custom orders? What's is your MOQ order?

A: Yes, we do, our MOQ is depends on exact model, mostly is 1unit.

Q:Which country do you have exported to?

A: our special trucks can be found in many parts of the world, such as Russia, Ukraine, Uzbekistan, Jordan, Chile, Brazil, Thailand, Malaysia, Lebanon etc, and gain good reputation from local market.

